HydroCoat 103 2K





Revision: 4.2 - 11th January 2022

Code: 103-S

CE

EN 1504-3:2005

DECLARATION OF PERFORMANCE

According to Annex III of the Regulation (EU) No. 305/2011

1. Unique Identification Code of the Product Type:

103-S

2. Type, batch or serial number of any other element allowing identification of the construction product:

See batch number and date of manufacture on the papckaging

3. Intended Use/es:

EN 1504-2:2004 Surface Protection Systems for Concrete

4. Manufacturer:

Newton Waterproofing Systems
(a trading name of John Newton & Company Ltd.)
Newton House
17-19 Sovereign Way
Tonbridge
Kent
TN9 1RH
01732 360095
www.newtonwaterproofing.co.uk

5. Authorised Representative:

Not Applicable

6. System/s of AVCP:

System 2+

7. Harmonised Standard:

EN 1504-2

NOTIFIED BODY/IES:

Notified Body No. 2797 undertook the initial inspection of type testing, manufacturing plant, factory production control and the continuous surveillance, assessment and evaluation of factory production control under System 2+ and issued Certificate of Conformity of factory production control.

HydroCoat 103 2K

High Performance Liquid Waterproofing Membrane

Reaction to fire has been assessed and determined by type testing carried out by Notified Test Laboratory 0833 under System 3.

8. European Assessment Document:

Not applicable

EUROPEAN TECHNICAL ASSESSMENT:

Not applicable

TECHNICAL ASSESSMENT BODY:

Not applicable

NOTIFIED BODY/IES:

Not applicable

9. Declared Performance:

Essential Characteristics	Declared Performance	Test Standard	Harmonised Technical Standard	
Compressive strength	≥ 35 MPa (Class 1 traffic with polyamide wheels)	BS EN 12190		
Permeability to CO ²	Equivalent to 100mm of concrete	BS EN 1062-6		
Permeability to water vapour	S _D < 5m (Class I Permeable to water vapour)	BS EN ISO 7783-2		
Capillary Absorption	w< 0.1kg.m ⁻² .h ^{-0.5} (Class III)	BS EN 1062-3		
Adhesive bond	≥ 2.0 MPa (Rigid systems with trafficing)	BS EN 1542	BS EN 1504-2:2004	
Thermal compatibility	> 2.0 MPa	BS EN 13687-1		
Coefficient of thermal expansion	$\alpha_T \le 30 \times 10^{-6} \text{ K}^{-1}$	BS EN 1770		
Dangerous Substances	Complies	Clause 5.4		
Reaction to fire	Euroclass A2-s1, d0	BS EN 13501-1		
Chloride ion diffusion	Steady state not reached after 30 years on test	UK method		

10. Appropriate Technical Documentation and/or Specific Technical Documentation:

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name: Warren Muschialli - Managing Director

At: Newton Waterproofing Systems

Newton House 17-19 Sovereign Way

Tonbridge Kent TN9 1RH

On: 05 September 2019

HydroCoat 103 2K

High Performance Liquid Waterproofing Membrane





Newton Waterproofing Systems Newton House 17-19 Sovereign Way Tonbridge Kent TN9 1RH

103-S
EN 1504-2:2004
2797
Surface Protection Systems for Concrete
0833 - Reaction to Fire

	·		1 0000 110001101110		
Essential Characteristics	Declared Performance	Test Standard		Harmonised Technical Standard	
Compressive strength	≥ 35 MPa Class 1 (Class 1 traffic with polyamide wheels)	BS EN	12190		
Permeability to CO ²	Equivalent to 100mm of concrete	BS EN	1062-6		
Permeability to water vapour	S _D < 5m (Class I Permeable to water vapour)	BS EN	ISO 7783-2		
Capillary Absorption	< 0.1kg.m ⁻² .h ^{-0.5} (Class III)	BS EN	1062-3	7	
Adhesive bond	≥ 2.0 MPa (Rigid systems with trafficing)	BS EN 1542		BS EN 1504-2:2004	
Thermal compatibility	> 2.0 MPa	BS EN	13687-1		
Coefficient of thermal expansion	$\alpha_T \le 30 \times 10^{-6} \text{ K}^{-1}$	BS EN	1770		
Dangerous Substances	Complies	Clause	5.4		
Reaction to fire	Euroclass A2-s1, d0	BS EN	13501-1		
Chloride ion diffusion	Steady state not reached after 30 years on test	UK me	ethod		

Newton Waterproofing Systems reserve the right to update product literature at any time. Please always refer to our website for the latest versions.