

PermaSEAL PRO MP 2C – Component B Safety Data Sheet according to 1907/2006/EC, Article 31 Date of issue: 14.12.2023

Revision date14.12.2023

SECTION 1: Identification of th	e substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name:	PermaSEAL PRO MP 2C – Component B
Product code:	PSPMP2C20
	e substance or mixture and uses advised against
Sector of Use	No further relevant information available. SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Application of the substance / the mixture	
1.3. Details of the supplier of the s	č
Company name:	Permagard Products Limited Unit B2 – B5 Worthy Road Chittening Industrial Estate Avonmouth Bristol BS11 0YB
T -1.	0447 000 0000
Tel:	0117 982 3282
Fax:	0117 938 1584
Email:	Sales@permagard.co.uk
1.4. Emergency telephone number	
Emergency Telephone Number:	National Poisons Information Service (NPIS): In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111
SECTION 2: Hazards identifica	
2.1. Classification of the substanc	e or mixture
Classification according to Regulation (EC) No 1272/2008 2.2. Label elements	Eye Irrit. 2 H319 Causes serious eye irritation.
Labelling according to	
Regulation (EC) No 1272/2008	The product is classified and labelled according to the GB CLP regulation.
Hazard pictograms	· · · · · · · · · · · · · · · · · · ·
	GHS07
Signal word	GHS07 Warning
•	
Hazard statements	Warning
Hazard statements	Warning H319 Causes serious eye irritation.
Hazard statements	Warning H319 Causes serious eye irritation. P101 If medical advice is needed, have product container or label at hand.
Hazard statements	Warning H319 Causes serious eye irritation. P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children.
Hazard statements	Warning H319 Causes serious eye irritation. P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P264 Wash thoroughly after handling. P280 Wear eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
Signal word Hazard statements Precautionary statements	Warning H319 Causes serious eye irritation. P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P264 Wash thoroughly after handling. P280 Wear eye protection / face protection.
Hazard statements Precautionary statements	Warning H319 Causes serious eye irritation. P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P264 Wash thoroughly after handling. P280 Wear eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Hazard statements Precautionary statements 2.3. Other hazards	Warning H319 Causes serious eye irritation. P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P264 Wash thoroughly after handling. P280 Wear eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Hazard statements Precautionary statements 2.3. Other hazards Results of PBT and vPvB assessment	Warning H319 Causes serious eye irritation. P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P264 Wash thoroughly after handling. P280 Wear eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention.
Hazard statements Precautionary statements	Warning H319 Causes serious eye irritation. P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P264 Wash thoroughly after handling. P280 Wear eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

· vPvB:

Not applicable.

PermaSEAL PRO MP 2C – Component B Safety Data Sheet according to 1907/2006/EC, Article 31 Date of issue: 14.12.2023

Revision date14.12.2023

		_
SECTION 3: Composition/informat	ion on ingredients	
3.2. Mixtures		
Description:	Mixture consisting of the following components.	
Dangerous components:		
CAS: 65997-15-1	Portland cement >1-	5%
EINECS: 266-043-4	Lye Dani. 1, 1510, Skin mit. 2, 1515, 5101 SE 5, 1555	570
Additional information	For the wording of the listed hazard phrases refer to section 16.	
SECTION 4: First aid measures		
4.1. Description of first aid measures		
· After inhalation	Supply fresh air; consult doctor in case of symptoms.	
· After skin contact	The product is not skin irritating.	
· After eye contact	Rinse opened eye for several minutes under running water.	
· After swallowing	In case of persistent symptoms consult doctor.	
4.2. Most important symptoms and eff	ects, both acute and delayed	
	No further relevant information available.	
4.3. Indication of any immediate media	cal attention and special treatment needed	
	No further relevant information available.	
SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing agents	Use fire fighting measures that suit the environment.	
5.2. Special hazards arising from the s		
	No further relevant information available.	_
5.3. Advice for fire-fighters		
	No special measures required.	
SECTION 6: Accidental release me	easures	
6.1. Personal precautions, protective e	equipment and emergency procedures	
	Not required.	
6.2. Environmental precautions		
	No special measures required.	
6.3. Methods and material for containr	nent and cleaning up	
	Collect mechanically.	
6.4. Reference to other sections		
	See Section 7 for information on safe handling	
	See Section 8 for information on personal protection equipment.	
	See Section 13 for information on disposal.	
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
The resolutions for sale handling	Open and handle container with care.	
Information about protection		
against explosions and fires:	No special measures required.	
7.2. Conditions for safe storage, include		
Storage Requirements to be met by		
storerooms and containers:	No special requirements.	
Information about storage in	···	
one common storage facility:	Not required.	
Further information about	······	
storage conditions:	None.	
-	11	
Silliaue class		
Storage class 7.3. Specific end use(s)		
7.3. Specific end use(s)	No further relevant information available.	

PermaSEAL PRO MP 2C – Component B Safety Data Sheet according to 1907/2006/EC, Article 31 Date of issue: 14.12.2023

Revision date14.12.2023

ac	cording to 1907/2006/EC, Article 31 Date of issue: 14.12.2023 Revision date14.12.2023
SECTION 8: Exposure controls/	personal protection
8.1. Control parameters	
Components with critical values that re	quire monitoring at the workplace:
CAS: 65997-15-1 Portland cement	· · · ·
WEL Long-term value: 10* 4** mg/m	3
*inhalable dust **respirable dust	,t
DNELs	
CAS: 65997-15-1 Portland cement	
Inhalative DNEL 1 mg/m ³ (ArL)	
Additional information:	The lists that were valid during the compilation were used as basis.
8.2. Exposure controls	
Appropriate engineering	
controls	No further data; see section 7.
Individual protection measures, such as	personal protective equipment
General protective and hygienic	
measures	Wash hands during breaks and at the end of the work.
Breathing equipment:	Not required.
Hand protection	Protective gloves.
Material of gloves	Natural rubber, NR
	Nitrile rubber, NBR
	The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of
	several substances, the resistance of the glove material cannot be calculated in advance and ha therefore to be checked prior to the application.
Penetration time of glove material	The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.
Eye/face protection	Safety glasses
Body protection:	Impervious protective clothing
SECTION 9: Physical and chem	cal properties
9.1. Information on basic physical a	
General Information	
Physical state	Solid
Colour:	Whitish
Smell:	neutral
Odour threshold:	Not determined.
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and	
boiling range	2,230 °C (CAS: 14808-60-7 Quartz (SiO2))
Flammability	Not determined.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable
Decomposition temperature:	Not determined.
рН	Mixture reacts violently with water.
Viscosity:	·
Kinematic viscosity	Not applicable.
dynamic:	Not applicable.
Solubility	
Water:	Soluble
Partition coefficient n-octanol/water	
	Not determined

Not determined. 13.5 hPa (CAS: 14808-60-7 Quartz (SiO2))

(log value)

Steam pressure at 1732°C:

PermaSEAL PRO MP 2C – Component B Safety Data Sheet according to 1907/2006/EC, Article 31 Date of issue: 14.12.2023

Density and/or relative density	
Density	1.5 g/cm ³
Relative density	Not determined.
Vapour density	Not applicable
9.2. Other information	
Appearance:	
Form:	Pasty
Important information on protection of he	ealth
and environment, and on safety.	
Self-inflammability:	Product is not self-igniting.
Explosive properties:	Product is not explosive.
Change in condition	
Evaporation rate	Not applicable
Information with regard to physical haza	rd
Classes	
Explosives Void	
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void
SECTION 10: Stability and reactive	vity
10.1. Reactivity	
	No further relevant information available.
10.2. Chemical stability	

10.2. Chemical stability	
	stable
Thermal decomposition conditions to be avoided	No decomposition if used according to specifications.
10.3. Possibility of hazardous reaction	1S
	No dangerous reactions known
10.4. Conditions to avoid	
	No further relevant information available.
10.5. Incompatible materials	
	No further relevant information available.
10.6. Hazardous decomposition produ	ıcts
	No dangerous decomposition products known
CECTION 44. Taxia alamiant inform	ation .

SECTION 11: Toxicological information 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met. LD/LC50 values that are relevant for classification: CAS: 65997-15-1 Portland cement Dermal LD50 2,000 mg/kg (rabbit)

Revision date14.12.2023

PermaSEAL PRO MP 2C – Component B Safety Data Sheet

	according to 1907/2006/EC, Article 31 Date of issue: 14.12.2023	Revision date14.12.2023
Inhalative LC50/4 h	5 mg/l (rat)	
Serious eye damage/irritation	Causes serious eye irritation.	
11.2. Information on other haza	rds	
Endocrine disrupting properties	None of the ingredients is listed.	
SECTION 12: Ecological info	rmation	
12.1. Toxicity		
Aquatic toxicity:	No further relevant information available.	
12.2. Persistence and degradab	ility	
	No further relevant information available.	
12.3. Bioaccumulative potential		
	No further relevant information available.	
12.4. Mobility in soil		
	No further relevant information available.	
12.5. Results of PBT and vPvB	assessment	
PBT:	Not applicable.	
vPvB:	Not applicable.	
12.6. Endocrine disrupting prop	erties	
	The product does not contain substances with endocrine disrupting proper	rties.
12.7. Other adverse effects add	tional information	
General notes:	Do not allow undiluted product or large quantities of it to reach ground wat system.	er, water bodies or sewage
SECTION 13: Disposal consi	derations	
13.1. Waste treatment methods		
Recommendation	Must not be disposed of together with household garbage. Do not allow pr	oduct to reach sewage system.
Uncleaned packaging's:		
Recommendation:	Disposal must be made according to official regulations.	
Recommended cleaning agent:	Water, if necessary, with cleaning agent.	
SECTION 14: Transport info	mation	
14.1. UN number or ID number		
ADR, IMDG, IATA	Void	
14.2. UN proper shipping name		
ADR, IMDG, IATA	Void	
14.3. Transport hazard class(es		
ADR, ADN, IMDG, IATA Class	Void	
Class	Volu	
14.4. Packing group		
ADR, IMDG, IATA	Void	
14.5. Environmental hazards		
Marine pollutant:	No	
14.6. Special precautions for us	er	
	Not applicable.	
14.7. Maritime transport in bulk		
	Not applicable	
UN "Model Regulation":	Void	
SECTION 15: Regulatory info		
	mental regulations/legislation specific for the substance or mix	ture
Poisons Act		
Regulated explosives precursors		
None of the ingredients is listed.		
Regulated poisons		
None of the ingredients is listed.		

5/6



PermaSEAL PRO MP 2C – Component B Safety Data Sheet according to 1907/2006/EC, Article 31 Date of issue: 14.12.2023

Revision date14.12.2023

Reportable explosives precursors		
None of the ingredients is listed.		
Reportable poisons		
None of the ingredients is listed.		10%
Directive 2012/18/EU		
Named dangerous substances –		
ANNEX I	None of the ingredients is listed.	
15.2 Chemical safety		
assessment:	A Chemical Safety Assessment has not been carried out.	
SECTION 16: Other information	ition	
Other information		
Relevant phrases	H315 Causes skin irritation.	
	H318 Causes serious eye damage.	
	H335 May cause respiratory irritation.	
Abbreviations and acronyms:	RID: Règlement international concernant le transport des marchandises dangereuses par chemin de (Regulations Concerning the International Transport of Dangerous Goods by Rail)	fer
	ICAO: International Civil Aviation Organisation	
	ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)	
	IMDG: International Maritime Code for Dangerous Goods	
	IATA: International Air Transport Association	
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
	EINECS: European Inventory of Existing Commercial Chemical Substances	
	ELINCS: European List of Notified Chemical Substances	
	CAS: Chemical Abstracts Service (division of the American Chemical Society)	
	DNEL: Derived No-Effect Level (UK REACH)	
	LC50: Lethal concentration, 50 percent	
	LD50: Lethal dose, 50 percent	
	PBT: Persistent, Bioaccumulative and Toxic	
	vPvB: very Persistent and very Bioaccumulative	
	Skin Irrit. 2: Skin corrosion/irritation – Category 2	
	Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
	Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
	STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.